



Wichita Beech Herringbone

# **CLEVER CLICK RIGID** Flooring

---


Easy-to-install, versatile range of high-quality flooring designed to enhance any space with durability and style.

  
**Guardian**  
Building Products

# What is Clever Click Rigid?

Home is where your personal style truly comes to life, and there is no greater canvas than your floor. More than just a surface to walk on, it sets the tone for your entire space. With Clever Click Rigid, you can enjoy the natural, refined look of wood and stone at a price and convenience that works for you. Choose from our wide range of designs, colours and formats, and install it in any room with ease to bring stylish practicality to your home.

## CLEVER CLICK RIGID



Installs over existing surfaces



15 year residential guarantee



Suitable for under floor heating\*



Integrated underlay



Rapid installation - no glue or adhesives necessary



Slip resistant



Designed to work over existing flooring substrates including floorboards, concrete and tiles



# Why choose Clever Click Rigid?

Clever Click Rigid is a stone polymer composite (SPC) flooring solution designed for the demands of real homes. SPC stands out for its durability and ease of installation. This combination of strength and convenience makes it a practical choice for any room in your home.

---

## What's the benefits of rigid SPC flooring?



### Durability and Strength

SPC flooring solutions offer superior durability. Its construction features a core made from crushed limestone, making it firm and more resistant to wear than more flexible solutions. This ensures it can stand up to the daily demands of your home.



### Ease of Installation

One of the standout features of Clever Click Rigid is its easy installation process. Our innovative Clever Click technology makes installation quick and easy with no adhesive or complicated preparation required. You'll have a low-maintenance, slip and stain-resistant floor that's perfect for any room in no time.



### Reduced Subfloor Preparation

Its rigid structure and integrated underlay allow it to be quickly installed over uneven subfloors without imperfections showing through. This means it can be laid directly over all kinds of existing floors, saving time and simplifying your renovation project.



### Superior Dimensional Stability

Clever Click Rigid offers excellent stability which reduces the risk of shrinkage and expansion caused by changes in temperature, sunlight and humidity.



### Low Maintenance and Long-lasting Appeal

Clever Click Rigid is scratch-resistant, stain-resistant, and requires minimal maintenance, meaning it stays looking fresh for years. It's easy-to-clean surface makes it a great option for busy households.




### Improved Acoustics

Quietness is something we all value and with our Clever Click Rigid flooring range you get this. Our flooring has an IXPE integrated underlay, which ensures a high transmission sound reduction which is great for your home. In any busy household this is a welcome benefit as it softens sounds around your home.

Our Clever Click Rigid flooring consists of five layers, which provides strength, durability, comfort and softens acoustics.

- 1 Protective PU Coating**  
This is the topcoat which adds protection against water, scratches and stains. With its matt finish it also makes it easy to clean.
- 2 Wear Layer**  
A protective barrier that provides durability.
- 3 PVC Décor Film**  
The design layer that gives your floor its stylish wood or stone look, available in a variety of patterns.
- 4 Rigid Core**  
Provides strength and stability.
- 5 IXPE Integrated Underlay**  
Eliminates the need for a separate underlay, making it easy to install and improves the acoustics in your home.



# Designer floors

## Finishes

### Herringbone

Herringbone is a timeless classic pattern and looks stunning in our Wichita Beech, Lexington Oak and Concord Ash designs.



**Wichita Beech** brings a sense of serenity and calmness, with its brown shades it makes the perfect flooring for a traditional or contemporary home.



**Lexington Oak** will bring a dramatic yet sophisticated look to your home. With the dark to light shades and distinctive V-shaped pattern it will make any room look distinguished.



**Concord Ash** with its sophisticated ash grey hue will complement traditional and contemporary homes. The light shades of grey in the herringbone pattern create a sense of calm and simplicity, perfect for creating a serene atmosphere.

---

### Mosaic Tiles

Inspired by the Renaissance, mosaic art has always been popular and there is nothing more stunning than our Corfu and Valetta Mosaic designs.



**Corfu Mosaic** inspired by Portuguese style tiles it combines contemporary design with traditional artistry and transforms any space into a lively masterpiece.



**Valetta Mosaic** is a Maltese inspired design which will make a bold statement in any home. The intricate patterns create a vibrant environment.

## XL Planks and Tiles

Our XL sized planks and tiles add a touch of sophistication, the large format creates a bold statement and will make your room look superior. Available in two stone and two wood designs.



**Buffalo Maple** bursting with rich colour accents it gives a rustic charm and **Portland Beech** with its clever shading enhances the knots and grains. These designs are stunning and will create a warm and cosy feel.



**Palma Stone** a classic marble design with vibrant veins and **Genoa Stone**, a beautiful concrete effect tile, they may look stunningly cold, but they will be warm underfoot.



Lexington Oak Herringbone



# Designer floors

## Herringbone



4-sided  
Bevel

With its distinctive V-shaped pattern, herringbone flooring adds texture, movement, and sophistication to any room.



Wichita Beech Herringbone  
125 mm x 625 mm



Lexington Oak Herringbone  
125 mm x 625 mm



Concord Ash  
125 mm x 625 mm



Boston Ash

# Designer floors

## Wood Collection



4-sided  
Bevel

Bring natural warmth into your space with our timeless wood finishes. Its life-like textures and rich tones create a welcoming ambiance, perfect for adding character to your interiors.



Amarillo Walnut  
180 mm x 1,220 mm



Denver Oak  
180 mm x 1,220 mm



Concord Light Oak  
180 mm x 1,220 mm



Boston Ash  
180 mm x 1,220 mm

# Designer floors

## Wood Collection

UNILIN CLICK®  
PATENTED TECHNOLOGY



4-sided  
Bevel



Buffalo Maple

180 mm x 1,220 mm (XL - 229 mm x 1220 mm)



Portland Beech

180 mm x 1,220 mm (XL - 229 mm x 1220 mm)



Springfield Ash

180 mm x 1,220 mm



Akron Teak

180 mm x 1,220 mm



Springfield Ash



Genoa Stone XL

# Designer floors

## Stone Collection



4-sided  
Bevel

Add industrial beauty to your home with our stone flooring range. The earthy textures and natural tones bring a grounded, architectural feel to any space.



Lisbon Stone  
305 mm x 610 mm



Palma Stone  
305 mm x 610 mm (XL - 457 mm x 914 mm)



Tangier Stone  
305 mm x 610 mm



Genoa Stone  
305 mm x 610 mm (XL - 457 mm x 914 mm)



Florence Stone  
305 mm x 610 mm

# Designer floors

## Stone Collection



4-sided  
Bevel



Porto Tile  
305 mm x 610 mm



Montpellier Tile  
305 mm x 610 mm



Cannes Tile  
305 mm x 610 mm







Corfu Mosaic

# Designer floors

## Mosaic

UNILIN CLICK®  
PATENTED TECHNOLOGY



4-sided  
Bevel

Vibrant and bold our Mosaic Tiles bring energy and life into any space.



Corfu Mosaic  
305 mm x 610 mm



Valetta Mosaic  
305 mm x 610 mm

# Technical Specifications

## Woods & Herringbone by colour



## Stone by colour





### Standard Planks

Dimensions:	180 mm x 1220 mm
Thickness:	5 mm with integrated underlay
Wear layer:	0.4 mm
Bevel:	Micro
Waterproof:	Yes
Installation:	Unilin click



### XL Planks

Dimensions:	229 mm x 1220 mm
Thickness:	5 mm with integrated underlay
Wear layer:	0.4 mm
Bevel:	Micro
Waterproof:	Yes
Installation:	Unilin click



### Herringbone Planks

Dimensions:	125 mm x 625 mm
Thickness:	5.5 mm with integrated underlay
Wear layer:	0.4 mm
Bevel:	Micro
Waterproof:	Yes
Installation:	5Gi



### Mosaic Tiles

Dimensions:	305 mm x 610 mm
Thickness:	5.5 mm with integrated underlay
Wear layer:	0.4 mm
Bevel:	Micro
Waterproof:	Yes
Installation:	Unilin click



### Tiles

Dimensions:	305 mm x 610 mm
Thickness:	5 mm with integrated underlay
Wear layer:	0.4 mm
Bevel:	Micro
Waterproof:	Yes
Installation:	Unilin click



### Tiles XL

Dimensions:	457 mm x 914 mm
Thickness:	6.5 mm with integrated underlay
Wear layer:	0.4 mm
Bevel:	True grout line
Waterproof:	Yes
Installation:	14F

# Technical Specifications

## Tiles

PRODUCT CODE	DESCRIPTION	WIDTH X LENGTH (MM)	NUMBER IN PACK
4020055010	Palma Stone	305 x 610	8
4020055015	Tangier Stone	305 x 610	8
4020055020	Lisbon Stone	305 x 610	8
4020055025	Porto Tile	305 x 610	8
4020055030	Montpellier Tile	305 x 610	8
4020055035	Cannes Tile	305 x 610	8
4020055040	Florence Stone	305 x 610	8
4020055045	Genoa Stone	305 x 610	8
4020055050	Corfu Mosaic	305 x 610	8
4020055055	Valetta Mosaic	305 x 610	8

## Tiles XL

PRODUCT CODE	DESCRIPTION	WIDTH X LENGTH (MM)	NUMBER IN PACK
4020060010	Palma Stone XL	457 x 914	6
4020060015	Genoa Stone XL	457 x 914	6

## Standard Planks

PRODUCT CODE	DESCRIPTION	WIDTH X LENGTH (MM)	NUMBER IN PACK
4020065010	Amarillo Walnut	180 x 1220	8
4020065015	Denver Oak	180 x 1220	8
4020065020	Concord Light Oak	180 x 1220	8
4020065025	Springfield Ash	180 x 1220	8
4020065030	Buffalo Maple	180 x 1220	8
4020065035	Boston Ash	180 x 1220	8
4020065040	Portland Beech	180 x 1220	8
4020065045	Akron Teak	180 x 1220	8

## XL Planks

PRODUCT CODE	DESCRIPTION	WIDTH X LENGTH (MM)	NUMBER IN PACK
4020070010	Buffalo XL Plank	229 x 1220	8
4020070015	Portland Beach XL Plank	229 x 1220	8

## Herringbone Planks

PRODUCT CODE	DESCRIPTION	WIDTH X LENGTH (MM)	NUMBER IN PACK
4020075010	Wichita Beech Herringbone	125 x 625	20
4020075015	Lexington Oak Herringbone	125 x 625	20
4020075020	Concord Ash Herringbone	125 x 625	20

## Testing

PROPERTY	TEST METHOD STANDARD	REVIEW IN ACCORDANCE WITH STANDARD
Use of class	EN ISO 10874	Class 23, 32
Formaldehyde emission	EN 717-1	E1
Reaction to fire	EN 13501-1	Bfl-s1
Slip resistance	EN 13893	Class DS
Slip resistance	DIN EN 16165	R9/R10
Wear resistance	ISO 24338 Procedure A	≥ 4000 cycles
Micro-scratch resistance	EN 16094	≤ MSR-A3
Impact resistance	EN 13329	≥ 1200mm
Effect of furniture legs	EN ISO 16581	No visible damage
Castor chair resistance	EN ISO 4918	25,000 cycles
Resistance to staining	EN 438-2	Groups 1 and 2: grade 5 Group 3: grade 4
Locking strength [kN/m]	ISO 24334	Long side ≥ 1,0kN/m; short side ≥ 1,5kN/m
Light stability	EN ISO 105-B02	≥ 6
Antistatic resistance	EN 1815	< 2kV
Thermal conductivity & Thermal resistance	EN 12664	0.112 W/(m·K) & 0.085 (m².K)/W
Dimensional stability	EN ISO 23999	≤ 0.15%
Curling after exposure to heat	EN ISO 23999	≤ 1mm
Residual Indentation	ISO 24343-1	≤ 0.1mm
Sound Insulation	ISO 10140-3 ISO 717-2	21 db
VOC emissions	ISO 16000 parts -3, -6, -9, 11	A+
CE		Certified
UKCA		Certified
EPD		Certified
Floorscore		Certified
Indoor Air Comfort Gold		Certified
Utilisation		Recyclable

**Phthalat Free**





Cannes Stone

Find a Guardian Dealer:

  
**Guardian**  
Building Products

Guardian Building Products  
Dunstall Park Road,  
Derby, DE24 8HJ

Whilst Guardian has made every attempt to ensure that this information is accurate and reliable at the time of its publication; we cannot accept responsibility for any errors, omissions, inaccuracies or any changes that have occurred since the date of publication or for the results obtained from the use of such information.

October 2024